

**HONDA**  
**MARINE**

**OUTBOARD ENGINES**



An aerial photograph of a speedboat moving across the ocean. The boat is positioned in the upper center of the frame, leaving a large, circular wake behind it. The water is a deep blue, and the wake is a mix of white foam and darker blue water. The boat itself is dark-colored with a white cabin area.

**POWERING YOUR  
ADVENTURES  
WITH UNWAVERING  
RELIABILITY AND  
PERFORMANCE**

# BRINGING THE BEST ENGINE INNOVATION TO THE WATER

As the largest engine manufacturer in the world, we know quite a lot about how to make a great engine for any purpose. In fact, over two thirds of the 5 million engines we make every year are for our competitors and other manufacturers, so they obviously think so too. Our engines are trusted by millions of users every day, all over the world, for countless tasks and applications. With over 50 years of innovation, testing, refining and testing again, we know what makes a great engine, and we inject all that knowledge into our outboard range.

## CONTENTS

- 06 Why Honda?
- 08 Honda Marine Innovation
- 10 BF350/BF300
- 12 BF250/BF225/BF200
- 14 BF150/BF135/BF115
- 16 BF100/BF90/BF80
- 18 BFP60/BF60/BF50
- 20 BF30/BF20/BF10
- 22 BF2.3
- 24 Genuine Accessories





# THE POWER YOU NEED, FOR THE LIFESTYLE YOU WANT



## FOR THE MOMENTS

There's an incredible depth of feeling that flows through every person who owns, and works with a boat. This joy, this relentless, overwhelming passion for a life on the water, fuels everything we do and every product we create.

## FOR THE ADVENTURES

There's nothing like the freedom to choose your own course. With engines designed and built for everyone's needs, embrace every adventure, every trip and every Saturday afternoon jaunt, without a drop of hesitation.

## FOR LIFE

We make the most reliable and trustworthy engines in the world. It sounds impressive, but what it really means is that we're there when it matters. And when it matters, people choose Honda, time and time again.

# HONDA MARINE INNOVATION

At Honda, we have always been passionate about new technology. By constantly pushing the boundaries of what is possible, we are able to give you more. More performance, more fuel efficiency, more control. Take a look at our latest innovations to see how you can get the most out of your outboard engine.



## EVERY ENGINE FOR ANY ADVENTURE

From 2.3 HP to the all-new V8 BF350 you'll find the perfect outboard motor to match the power, performance, and practicality you need. Seek out your sweet spot between the advanced technology features, ease of use, optimal fuel efficiency, horsepower and price.

## PERFORMANCE

**VTEC™** **VTEC™ - VARIABLE VALVE TIMING AND LIFT ELECTRONIC CONTROL**  
Optimises engine performance throughout engine rpm range

**PGM-FI** **PGM-FI - PROGRAMMED FUEL INJECTION**  
PGM-FI controls full optimisation of your engine performance and reliability

**ECOMO** **ECOMO**  
Superior fuel efficiency

**BLAST™** **BLAST™ - BOOSTED LOW SPEED TORQUE**  
Excellent holeshot performance

**PGM-IG** **PGM-IG - HONDA PROGRAMMED IGNITION**  
Honda Programmed Ignition accurately controls ignition timing for optimum overall operation

**DIRECT AIR** **POWER INTAKE AIR SYSTEM**  
Unique system providing increased engine power and superior cooling

## EASE OF USE

**HONDA DBW**  
Intelligent shift and throttle for smooth throttle and gear shifting

**MULTI-FUNCTION TILLER HANDLE**  
Adjustable tiller handle for maximum comfort with conveniently located controls

**RECOIL START**  
Simplified and compact for easy starting

**COUNTER ROTATING GEARBOX**  
Improves boat handling for reduced steering effort

**NMEA2000®**  
Simplified connectivity for compliance with other NMEA2000® electronic equipment

**TRIM SUPPORT**  
Automatically operates trim according to engine or boat speed

**CRUISE CONTROL**  
Adjust boat speed with a press of a button

**MECHANICAL CONTROL**  
Ergonomic and responsive remote control

**POWER TRIM AND TILT**  
Electric engine trim and tilt optimises performance

**ELECTRIC START**  
Effortless and easy starting

**ENGINE PROTECTION AND SECURITY**  
Engine monitoring function

**THROUGH HUB EXHAUST**  
Provides increased thrust and reduced operating noise

**AUTOMATIC TILT**  
Preset easy tilt operation when stored or mooring

**TROLLING CONTROL MODE**  
Giving accurate slow speed control

## PORTABILITY

**LIGHTWEIGHT**  
Compact, lightweight design for easy portability

**INTEGRATED FUEL TANK**  
Enhanced portability and convenience

**INTEGRATED CARRYING HANDLE**  
Enhances portability

**360° STEERING**  
360° steering for simplified manoeuvrability

**THROTTLE TENSIONER**  
Refines steering throttle control

BF350/BF300

# THE V8 RANGE. REDEFINING HIGH-PERFORMANCE OUTBOARD ENGINES

Now you can have it all on the water – ultimate comfort combined with high-powered performance. Our V8 range offers technically advanced outboard engines allowing you to explore further, experience more, and take your time on the water to whole new levels. Enjoy the precision of rapid acceleration, the reassurance of intelligent fuel efficiency and, most importantly, the backing of years of proven Honda engineering.

PERFECT FOR LONGER, COMFORTABLE ADVENTURES  
AND EFFORTLESS LEISURE



## SPECIFICATIONS AT A GLANCE

### BF350/300

#### ENGINE TYPE

5 LITRE  
32 VALVE V8

#### DISPLACEMENT

4.952 CM<sup>3</sup>

#### WEIGHT

355 KG INCLUDING  
PROPELLER

#### HORSEPOWER

BETWEEN 300-350 HP

## RANGE BENEFITS

### BUILT FOR SPEED

The V8 engine range offers the most formidable power yet amongst our outboard engines. At low speeds, BLAST™ offers instant and powerful acceleration, then for the extra power at cruising speeds, initiate VTEC™ to boost peak power to provide a positive surge of acceleration.

### DESIGNED FOR EFFICIENCY

The new distinctive design – a slim, one-motion silhouette enveloped in Aquamarine Silver or Grand Prix White – adapts to various hull shapes and environments, while an improved gear case shape reduces underwater drag. Underneath built-in technology like ECOmo, Trim Support and an O2 sensor helps optimise fuel efficiency, without compromising engine performance.

### TAILORED FOR EASE OF USE

Accompanying the new range is the all new V8 controller to help make the most of all the intuitive features. Experience smoother sailing with Cruise Control and its expanded adaptive speed range, then use the Automatic Tilt to set a default trim angle to avoid manually trimming the engine when docking and mooring.

## FUEL CONSUMPTION

Engine speed (rpm)	Speed (knots)	Consumption (l/h)	MPL
650	2.8	5.2	0.54
1,000	5.0	9.6	0.52
1,500	7.3	19.4	0.38
2,000	9.0	33.3	0.27
2,500	16.2	48.4	0.33
3,000	24.6	53.4	0.46
3,500	30.8	68.1	0.45
4,000	36.2	102.2	0.35
4,500	40.3	124.0	0.33
5,000	44.9	150.7	0.30
5,500	50.0	222.7	0.22
6,000	51.7	244.0	0.21

Ranieri Next 330 LX – 2x BF350A  
Length 10.15 m  
Weight 5,280 kg (as tested)

Max power 800 hp  
5 people – Calm lake  
Propeller (16" x 21")

## COLOURS

These engines are available in Aquamarine Silver, Grand Prix White or Sporty White. Please contact your local Marine dealer for more information.



## SPECIFICATIONS

	BF350	BF300
Type	4-Stroke, SOHC, 60° V8, 32 valves	
Displacement (cc)	4,952	
Bore x Stroke (mm)	89 x 99.5	
Full Throttle RPM Range	5,000 – 6,000	
Rated Power [kW (PS)]	257.4	220.7
Gear Ratio	1.79	
Battery Charging Capacity (A)	70	
Transom Height (mm)	XDU / XCDU: 638 UDU / UCDU: 765	
Dry Weight (kg)	XDU / XCDU: 355* UDU / UCDU: 360*	
Engine Trim and Tilt	Power Trim & Tilt	
Length (mm)	1,121	
Width (mm)	650	
Height (mm)	2,145	
Centre to Centre (mm)	724	

## KEY FEATURES

Feature	BF350	BF300
VTEC™	◆	◆
BLAST™	◆	◆
ECOmo	◆	◆
NMEA 2000	◆	◆
Honda DBW	◆	◆
Trim Support	◆	◆
Automatic Tilt	◆	◆
Cruise Control	◆	◆
Trolling Control Mode	◆	◆

\*Dry weight includes propeller.

BF250/BF225/BF200/BF175

# V6. ENGINEERING EVOLVED.

The very same manufacturing excellence that powers Honda motor racing, will power you to explore further, play harder and live freer than ever before. The advanced V6 range encapsulates the exhilaration of being out on the water. Enjoy the precision of rapid acceleration, the reassurance of intelligent fuel efficiency and, most importantly, the backing of years of proven Honda engineering.



## SPECIFICATIONS AT A GLANCE

**BF250/225/200**

**ENGINE TYPE**  
6 CYLINDERS

**DISPLACEMENT**  
3.583 CM<sup>3</sup>

**WEIGHT**  
FROM 284 KG

**HORSEPOWER**  
BETWEEN 200-250 HP

## RANGE BENEFITS

### POWER TO TAKE YOU ANYWHERE

Whether you're working or cruising, you want a smooth and stress-free ride. The V6 range ensures exactly that, with innovative technologies including VTEC™ control, BLAST™ acceleration, and DBW which enables precise electronic engine response.

### BETTER FOR THE ENVIRONMENT

Enjoy impressive power output without an increase in fuel consumption. PGM-FI electronic fuel injection increases the air to fuel ratio when you accelerate, whilst ECOmo ensures the fuel efficiency continues when you reach optimal cruising speed.

### CLEAN, SLEEK DESIGN

The V6 range was designed to be as sleek in appearance as it is on the water. The outer shell style echoes the precision engineering beneath the casing, leaving no doubt as to just what your boat can do at full throttle.

PERFECT FOR LARGER CRAFTS AND POWER SEEKERS

## FUEL CONSUMPTION

Engine speed (rpm)	Speed (knots)	Consumption (l/h)	MPL
650	2.9	1.8	1.66
1,000	4.5	3.2	1.39
1,500	6.4	5.9	1.09
2,000	7.7	7.5	1.02
2,500	10.6	12.8	0.82
3,000	15.1	18.4	0.82
3,500	20.6	23.9	0.86
4,000	24.9	31.3	0.80
4,500	29.7	39.9	0.74
5,000	32.8	49.2	0.67
5,500	36.8	63.2	0.58
6,000	42.0	78.5	0.54
6,250	42.8	88.8	0.48

4XC HA27 - BF250  
Weight 1.890 kg (as tested)

Flat sea, no wind  
Propeller (18")

## COLOURS

These engines are available in Aquamarine Silver, Grand Prix White or Sporty White. Please contact your local Marine dealer for more information.



## SPECIFICATIONS

	BF250*	BF225*	BF200*
Type	OHC - 6 cylinders 60° V6 VTEC™, 24 valves		OHC - 6 cylinders 60° V6, 24 valves
Displacement (cc)	3,583		
Bore x Stroke (mm)	89 x 96		
Full Throttle RPM Range	5,300 - 6,300		
Rated Power [kW (PS)]	183.9	165.5	147.1
Gear Ratio	2.00 : 1		
Battery Charging Capacity (A)	90		
Transom Height (mm)	L: 508 X: 635 U: 762		
Dry Weight (kg)	L: 284 X / XC: 292 U / UC: 297		
Engine Trim and Tilt	Power Trim & Tilt		
Length (mm)	1,035		
Width (mm)	666		
Height (mm)	L: 1.812 X: 1.939 U: 2.066		
Centre to Centre (mm)	724		

## KEY FEATURES

Feature	BF250*	BF225*	BF200*
VTEC™	VTEC™	◆	◆
BLAST™	BLAST™	◆	◆
ECOmo	ECOmo	◆	◆
NMEA 2000	◆	◆	◆
Honda DBW*	◆	◆	◆
Trim Support	◆	◆	◆
Automatic Tilt	◆	◆	◆
Cruise Control	◆	◆	◆
Trolling Control Mode	◆	◆	◆

\*BF135/BF150 and BF200/BF225/BF250 counter rotation models available. \*Optional DBW.

BF150/BF135/BF115

# THE POWER TO PERFORM

Designed with large inflatables and sports boats in mind, this range was inspired by the pure rush of feeling you get when you cut through the blue at top speed. With Intelligent Shift and Throttle technology (DBW), PGM-FI electronic fuel injection, and VTEC™ to optimise engine performance, you get a small, finely tuned engine that promises a smooth and exhilarating ride for tenders, touring and anything in between.



## SPECIFICATIONS AT A GLANCE

BF150/135/115

**ENGINE TYPE**  
4 CYLINDERS

**DISPLACEMENT**  
2.354 CM<sup>3</sup>

**WEIGHT**  
FROM 218 KG

**HORSEPOWER**  
BETWEEN  
115-150 HP

## RANGE BENEFITS

### REFINED DESIGN. READY FOR ACTION.

Available in Aquamarine Silver, Grand Prix White or Sporty White, the new-look engine designs have been streamlined and made more compact to improve performance. With innovation from our flagship V8 range, control feels effortless with intuitive features like trolling control, cruise control, trim support, and automatic tilt.

### RELIABILITY AND EFFICIENCY

Renowned for quality, reliability, and engineering that lasts, we make engines you can count on for work, rest, or play. Each model is packed with our clever fuel-efficient technology, making it as innovative as it is durable.

PERFECT FOR SPEEDBOATS AND ENTHUSIASTS

## FUEL CONSUMPTION

Engine speed (rpm)	Speed (knots)	Consumption (l/h)	MPL
650	3.1	2.1	1.48
1,000	4.4	4.2	1.04
1,500	6.4	7.2	0.88
2,000	7.7	12.3	0.62
2,500	9.6	19.8	0.48
3,000	15.0	26.0	0.58
3,500	21.3	31.0	0.69
4,000	26.7	42.0	0.63
4,500	30.5	52.0	0.59
5,000	33.9	78.8	0.43
5,500	38.0	91.4	0.42
6,000	49.9	104.0	0.39
6,200	42.0	106.8	0.39

Idea Marine 80 - 2 x BF150  
Length 7.99 m  
Weight 2,000 kg (as tested)

Max power 425 hp  
2 people - Slightly rough sea  
Propeller (14 3/4" x 19")

## COLOURS

These engines are available in Aquamarine Silver, Grand Prix White or Sporty White. Please contact your local Marine dealer for more information.



## SPECIFICATIONS

	BF150*	BF135*	BF115
Type	DOHC - 4 cylinders 16 valves VTEC™	DOHC - 4 cylinders 16 valves	
Displacement (cc)	2,354		
Bore x Stroke (mm)	87 x 99		
Full Throttle RPM Range	5,000 - 6,000		
Rated Power [kW (PS)]	110.3	99.3	84.6
Gear Ratio	2.14 : 1		
Battery Charging Capacity (A)	40		
Transom Height (mm)	L: 508 X: 635		
Dry Weight (kg)	L: 224 X: 227		
Engine Trim and Tilt	Power Trim & Tilt		
Length (mm)	913		
Width (mm)	618		
Height (mm)	L: 1,688 X: 1,815		
Centre to Centre (mm)	660		

## KEY FEATURES

Feature	BF150*	BF135*	BF115
VTEC™	◆	◆	◆
BLAST™	◆	◆	◆
ECOMO	◆	◆	◆
NMEA 2000	◆	◆	◆
Honda DBW*	◆	◆	◆
Trim Support	◆	◆	◆
Automatic Tilt	◆	◆	◆
Cruise Control	◆	◆	◆
Trolling Control Mode	◆	◆	◆

\*Dry weight includes aluminium propeller (3kg). †BF135/BF150 counter rotation models available.

BF100/BF90/BF80

# ADVENTURE, AMPLIFIED

Experience the perfect balance of power and control. These outboards deliver the confidence and quick responsiveness you need on the water, all in a versatile mid-range design. With exhilarating acceleration, outstanding fuel efficiency, and precise handling, every trip becomes smooth and unforgettable.



## SPECIFICATIONS AT A GLANCE

BF100/BF90	BF80
<b>ENGINE TYPE</b>	
4 CYLINDERS VTEC™ 16 VALVE	4 CYLINDERS 16 VALVE
<b>DISPLACEMENT</b>	
1,496 CM <sup>3</sup>	998 CM <sup>3</sup>
<b>WEIGHT</b>	
FROM 166 KG	FROM 165 KG
<b>HORSEPOWER</b>	
BETWEEN 90-100 HP	80 HP

## RANGE BENEFITS

### COMPACT DESIGN, POWERFUL OUTPUT

Equipped with Honda's BLAST™ system, this range delivers strong low-end torque and rapid acceleration, enabling you to get to your optimum speed, and your favourite patch of blue, in no time at all.

### SMART PERFORMANCE TECHNOLOGY

All models benefit from advanced PGM-FI fuel injection and ECOmo lean burn control, ensuring smoother power delivery and efficient fuel use at cruising speeds.

### ROBUST SHELL

Innovative engineering housed in shimmering silver. Our patented double-seal process creates a slick aluminium shell that is anodised primed and painted before we finish with a clear top-coat of UV-protecting resin.

PERFECT FOR SPEEDBOATS AND ENTHUSIASTS

## FUEL CONSUMPTION

	Engine speed (rpm)	Speed (knots)	Consumption (l/h)
	650	2.0	0.9
	1,000	2.5	1.5
	1,500	4.3	3.3
	2,000	5.5	5.7
	2,500	7.1	8.1
ECOmo	3,000	13.0	10.0
	3,500	17.0	12.3
	4,000	21.2	16.8
	4,500	25.5	20.1
	5,000	29.5	26.0
	5,500	33.0	32.4
	5,900	36.8	36.0

Highfield H54 - BF100  
2 People - Calm sea

## COLOURS

These engines are available in Aquamarine Silver. Please speak to your local Marine dealer for more information.



## SPECIFICATIONS

	BF100	BF90	BF80
Type	OHC - 4 cylinders VTEC™ 16 valves		OHC - 4 cylinders 16 valves
Displacement (cc)	1,496		998
Bore × Stroke (mm)	73 × 89.4		
Full Throttle RPM Range	5,500 - 6,300		5,000 - 6,000
Rated Power [kW (PS)]	73.6	66.2	58.8
Gear Ratio	2.33 : 1		
Battery Charging Capacity (A)	35		
Transom Height (mm)	L: 537 X: 664		
Dry Weight (kg)	LRTU: 166* XTRU: 172*	LRTU: 165* XTRU: 171*	
Engine Trim and Tilt	Power Trim & Tilt		
Length (mm)	742		
Width (mm)	459		
Height (mm)	L: 1,576 X: 1,703		
Centre to Centre (mm)	660		

## KEY FEATURES

	VTEC™		
VTEC™	VTEC™	◆	◆
BLAST™	BLAST™	◆	◆
ECOmo	ECOmo	◆	◆
NMEA 2000	NMEA 2000	◆	◆
Trim Support	Trim Support	◆	◆
Automatic Tilt	Automatic Tilt	◆	◆
Cruise Control	Cruise Control	◆	◆

BFP60/BF60/BF50/BF40

# COMPACT, LIGHT AND POWERFUL

With the power-to-weight ratio on our side, this light and nimble outboard range delivers thrilling acceleration and impressive fuel efficiency, so you can take on every wave and whim with ease. And you can rest assured that we've squeezed a lot of innovation into that compact shell, each technological advancement makes a day on the water as enjoyable as a freshly caught feast.



## SPECIFICATIONS AT A GLANCE

BFP60/BF60	BF50 / BF40
<b>ENGINE TYPE</b>	
3 CYLINDERS 12 VALVE	3 CYLINDERS 6 VALVE
<b>DISPLACEMENT</b>	
998 CM <sup>3</sup>	808 CM <sup>3</sup>
<b>WEIGHT</b>	
FROM 110 KG	FROM 96 KG
<b>HORSEPOWER</b>	
60 HP	BETWEEN 40-50 HP

## RANGE BENEFITS

### COMPACT DESIGN, POWERFUL OUTPUT

Designed with our unique BLAST™ technology and PGM-FI, these three-cylinder engines offer greater performance at lower revs, so you can get to your optimum speed, and your favourite patch of blue, in no time at all.

### EFFICIENT AND DURABLE

This durable Honda engine is equipped with ECOmo technology, to improve efficiency and lower running costs, and the option of Trolling Control. Ideal for fishing, this allows you to move smoothly through speed increments of just 50 rpm.

### ROBUST SHELL

Innovative engineering housed in shimmering silver. Our patented double-seal process creates a slick aluminium shell that is anodised primed and painted before we finish with a clear top-coat of UV-protecting resin.

PERFECT FOR SMALLER BOATS REQUIRING MORE POWER

## FUEL CONSUMPTION

	Engine speed (rpm)	Speed (knots)	Consumption (l/h)
	850	2.2	0.9
	1,000	3.0	1.2
	1,500	3.6	1.8
	2,000	5.4	2.7
ECOmo	2,500	5.8	3.5
	3,000	6.8	4.8
	3,500	9.8	6.5
	4,000	15.7	8.0
	4,500	19.1	9.3
	5,000	22.0	13.1
	5,500	24.5	16.8
	6,000	27.2	20.7
	6,200	28.1	23.1

Ranieri 4XC H19CC - BF50  
2 People - Calm sea



## SPECIFICATIONS

	BFP60	BF60	BF50	BF40
Type	OHC - 3 cylinders 12 valves		OHC - 3 cylinders 6 valves	
Displacement (cc)	998		808	
Bore x Stroke (mm)	73 x 79.5		73 x 89.4	
Full Throttle RPM Range	5,000 - 6,000		5,500 - 6,000	5,000 - 6,000
Rated Power [kW (PS)]	44.1		36.8	29.4
Gear Ratio	2.33	2.07	2.08	
Battery Charging Capacity (A)	22	17	17	
Transom Height (mm)	L: 531 X: 658	521	S: 416 / L: 521	
Dry Weight (kg)	LRTU: 119* XRTU: 125*	110*	SRTU: 96.0* LRTU: 98.0*	
Engine Trim and Tilt	Power Trim & Tilt			
Length (mm)	792	777	694	
Width (mm)	417		390	
Height (mm)	L: 1,453 X: 1,580	1,397	S: 1,195 L: 1,320	
Centre to Centre (mm)	582		558	

## KEY FEATURES

Feature	BFP60	BF60	BF50	BF40
BLAST™	◆	◆	◆	◆
PGM-FI Programmed Fuel Injection	◆	◆	◆	◆
ECOmo	◆	◆	◆	◆
Multi-Function Tiller Handle**	◆	◆	◆	◆
Electric Start	◆	◆	◆	◆
Power Trim and Tilt	◆	◆	◆	◆
Engine Protection and Security	◆	◆	◆	◆
NMEA 2000	◆	◆	◆	◆
Through Hub Exhaust	◆	◆	◆	◆

\*Dry weight includes aluminium propeller (3kg).  
\*\*Optional.

BF20/BF10

# THE STRONG, QUIET TYPE

Power in a compact package. Our ultra-lightweight engines deliver serious performance – up to 30 horsepower from a three-cylinder or 20 from a two-cylinder – while ensuring a ride that's smoother and quieter across lakes, rivers, or open seas. Whether you're adding muscle to your dinghy, a reliable kicker to your sailboat, or just looking for weekend fun, these outboards are built to impress. With smart foldaway handles, our portable range is the ultimate pocket-sized power source.



PERFECT FOR SMALL BOATS AND RIBS

## FUEL CONSUMPTION

Engine speed (rpm)	Speed (knots)	Consumption (l/h)
4,000	11.7	3.8
4,500	15.0	4.3
5,000	18.0	5.1
5,600	20.3	6.8

Linder Sportsman 445 Basic - BF30  
2 People - Calm sea

## SPECIFICATIONS AT A GLANCE

### BF30

**ENGINE TYPE**  
3 CYLINDERS  
6 VALVE

**DISPLACEMENT**  
552 CM<sup>3</sup>

**WEIGHT**  
FROM 110 KG

**HORSEPOWER**  
30 HP

### BF20/10

**ENGINE TYPE**  
2 CYLINDERS  
4 VALVE

**DISPLACEMENT**  
350 – 222 CM<sup>3</sup>

**WEIGHT**  
FROM 42 – 46.5 KG

**HORSEPOWER**  
BETWEEN 10 – 20 HP

## RANGE BENEFITS

### THE PERFECT ALL-ROUNDER

Easily transported on land, powerful and intuitive in the water. With innovative additions such as remote control and the option of a nippy electric start, it's as easy to get up onto the plane as it is to get down to the shoreline. And, if you want to use your lightweight engine on a heavier boat, you can enhance capability with a power thrust propeller.

### CONFIDENTLY QUIET

All Honda outboards come with the reassurance that our advanced technology means they start easily, operate efficiently, run quietly, and give you even less reason to be on dry land.

## SPECIFICATIONS

	BF30	BF20	BF10
Type	OHC 3 cylinders 6 valves	OHC 2 cylinders 4 valves	
Displacement (cc)	552	350	222
Bore × Stroke (mm)	61 × 63	59 × 64	58 × 42
Full Throttle RPM Range	5,000 - 6,000		
Rated Power [kW (PS)]	22.1	14.7	7.4
Gear Ratio	2.08		2.33
Battery Charging Capacity (A)	10	12 (Electric) 6 (Recoil)	
Transom Height (mm)	S: 431 / L: 552	S: 433 / L: 563 / X: 703 (X only for BF10)	
Dry Weight (kg)	SRTU: 77.5* SHGU: 80.0* LRTU: 79.5* LHGU: 82.0*	SHU: 46.5* / SHSU: 49.0* SRU: 49.5* / SRTU: 57.0* LHU: 49.5* / LHSU: 52.0* LRU: 51.0* / LRTU: 58.5*	SHU: 42.0* / SRU: 46.0* LHU: 44.5* / LRU: 48.5* SHSU: 45.5* / LHSU: 48.0* XRUU: 52.5* (10)
Engine Trim and Tilt	Gas Assist Tilt Power Trim & Tilt	Manual Tilt - 5 stages Power Tilt	Manual Tilt - 5 stages
Length (mm)	720 (Tiller) 640 (Remote)	650 (Tiller) / 640 (Remote)	610 (Tiller) / 600 (Remote)
Width (mm)	375	350	345
Height (mm)	S: 1,195 / L: 1,320	S: 1,110 / L: 1,240 X: 1,380 (15)	S: 1,105 / L: 1,235 X: 1,375 (10)

## KEY FEATURES

PGM-IG	Honda Programmed Ignition		
	Electric Start	◆	◆
	Remote Control	◆	◆
	Power Trim and Tilt	◆	Power Tilt only
	Through Hub Exhaust	◆	◆
	Engine Protection and Security	◆	◆

\*Dry weight includes propeller.



# BF30-10

BF2.3

# PORTABLE PERFORMANCE

Power so portable, you really can take it anywhere. Impromptu picnic? Last minute fishing trip? Unexpectedly sunny afternoon? Simply hitch up the boat trailer, load our compact and lightweight engine into the boat and go. Easy to move, easy to use and easily enough power for every spontaneous adventure.



## RANGE BENEFITS

### LIGHT ENOUGH TO TAKE ANYWHERE

Whether you're forever seeking undiscovered pit stops or you just want to spend the weekend in a wetsuit. Our engines pack enough punch to take you places in a small boat, and, thanks to the ergonomic carry handle and folding tiller, they are then compact enough to be carried back to the car when the fun is over.

### GIVES YOU CONFIDENCE ON THE WATER

When you're confident in your engine, you can cruise the river without a care. Along with the backing of Honda's world-renowned reliability, you can also make the most of impressive 1.3 L fuel capacity giving you more than 60 minutes run time. Perfect for seeking out that little-known lunch spot.



PERFECT FOR SMALL BOATS AND RIBS OR USERS LOOKING FOR MAXIMUM PORTABILITY

## SPECIFICATIONS AT A GLANCE

BF2.3

**ENGINE TYPE**  
1 CYLINDER

**DISPLACEMENT**  
57 CM<sup>3</sup>

**WEIGHT**  
FROM 13 KG

**HORSEPOWER**  
2.3 HP



## SPECIFICATIONS

BF2.3



Type	OHV - 1 cylinder, 2 valves
Displacement (cc)	57
Bore x Stroke (mm)	45 x 36
Full Throttle RPM Range	5,000 - 6,000
Rated Power [kW (PS)]	1.7
Gear Ratio	2.42
Transom Height (mm)	S: 418 / L: 571
Dry Weight (kg)	SCHU: 13.5* / LCHU: 14.0*
Engine Trim and Tilt	Manual Tilt - 4 stages
Length (mm)	410
Width (mm)	280
Height (mm)	S: 945 / L: 1,100

## KEY FEATURES

	Lightweight	◆
	Integrated Carrying Handle	◆
	Integrated Fuel Tank	◆
	Recoil Start	◆
	360° Steering	◆
	Throttle Tensioner	◆

\*Dry weight includes propeller.

ACCESSORIES

# HONDA GENUINE ACCESSORIES AND RIGGING COMPONENTS

Honda genuine accessories are designed, made and tested to the same exacting standards as our legendary outboard engines. They are created to fit seamlessly with your existing Honda products without any hassle, allowing you to concentrate on the important things in life, enjoying the water.



## PROPELLER OPTIONS



3 BLADE ALUMINIUM PROPELLER



3 BLADE STAINLESS STEEL PROPELLER



4 BLADE ALUMINIUM PROPELLER



4 BLADE STAINLESS STEEL PROPELLER

## CUSTOM FUNCTION BUTTONS

Our BF115-350 range features multiple rigging options for a customised on-the-water experience. Those fitted with DBW (Drive By Wire) offer a one-push button start.\*

\*This is only available with multi engines not for single installs.



PUSH START BUTTON



MULTIPLE CUSTOM FUNCTION SET-UPS

## DISPLAYS

The Honda Multi-Function Display comes in two screen sizes, 4.3 and 7 inches. The smaller shows boat speed and fuel level (additional NMEA 2000\* sensors required) as well as any potential engine faults, for up to four Honda NMEA 2000\* compliant engines.

Both screens can set trim and tilt limits, activate auto trim/tilt, monitor cruise control, receive enhanced engine fault notifications, and easily calibrate the fuel tank.



7" MFD TOUCHSCREEN



NMEA DISPLAY

## HONDA DBW (DRIVE BY WIRE)

The DBW (Drive By Wire) command and control system is available on the BF115-350 models, providing superb control and plug-and-play installation. The system offers all of the features boaters are looking for including fast idle mode, trolling control, and engine speed and trim synchronisation (up to 4 engines).



FLUSH MOUNT CONTROLLER FOR BF115 - BF350



TOP MOUNT CONTROL BOX FOR BF115 - BF350

## HANDLING AND STEERING

Honda's ergonomically designed tiller handles and remote controls provide accurate and effortless control.



MULTI-FUNCTION TILLER HANDLE (BF60A & BFP60A)



MULTI-FUNCTION TILLER HANDLE (BF40D & BF50D)



SIDE MOUNT CONTROL BOX



FLUSH MOUNT CONTROL BOX



TOP MOUNT CONTROL BOX (SINGLE)



TOP MOUNT CONTROL BOX (TWIN)

## NMEA GAUGES

Utilising the NMEA 2000\* (engine-to-electronics data communication) network, the 85mm display gauge is compatible with Honda engines ranging from BF40 to BF350, and offers NMEA 2000\* and analogue signals for fuel level monitoring, as well as an integrated GPS.



MULTI-FUNCTION SPEEDOMETERS



MULTI-FUNCTION TACHOMETERS



ANALOGUE FUEL GAUGE



ANALOGUE TACHOMETER

# ADVENTURE ON WATER

WITH HONDA MARINE, EVERY WAVE BECOMES AN OPPORTUNITY,  
EVERY JOURNEY A STORY WAITING TO BE TOLD.

Our engines are built for explorers – delivering unmatched reliability, low-maintenance freedom, and innovative technology that keeps you moving forward. Whether you're chasing the sunrise, discovering hidden coves, or venturing beyond the familiar, Honda gives you the confidence to go further.

Adventure isn't just out there – it's powered by Honda.



**HONDA**  
The Power of Dreams

**How we move you.**  
CREATE ► TRANSCEND, AUGMENT

Honda Motor Co. Ltd reserves the right to change or modify equipment or specifications at any time without prior notice. Details, colours, descriptions and illustrations are for information purposes only. As specifications or equipment may vary in some countries, please check with your nearby Honda dealer.